

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62/3

LIBRARY
RECEIVED
DEC 30 1929 ★
U.S. Department of Agriculture

PRICE LIST

FALL, 1929
and
SPRING, 1930

HITĪ NURSERIES

POMFRET CENTER
CONN.

Address

JAMES H. BOWDITCH, Proprietor

73 TREMONT ST., ROOM 903
BOSTON, MASS.

OR

ROLAND E. BAKER, Manager

POMFRET CENTER, CONN.

USE TELEPHONES UNDER THEIR NAMES

INTRODUCTION

The name "Hiti" signifies high elevation, which gives a longer season, free from early frost and injury to late growth.

This catalog contains only a list of plants grown at Hiti Nursery, *but stock of all kinds is furnished. Prospective buyers are invited to call at or write to the Boston office and discuss their wants. Mr. Roland E. Baker will attend to all direct Nursery customers.*

The Nursery, on Dana Road, is about a mile by road from Pomfret Station of the N. Y., N. H. & H. R. R., or a shorter cut up the railroad track. Telephone or telegraph Mr. Baker the day previous to your coming and he will meet you at the station on arrival, taking you back when ready. Visitors to the Nursery between April 1st and November 1st will find some one at hand during business hours to show the stock and take orders.

In these days of automobile travel customers find it easy to visit Pomfret and *select their plants personally.* Spring is usually the *best* time to handle Nursery stock but the season for many plants may be extended by a little care to include the summer and fall months also; with but slight risk of failure.

The Nursery is closed during the winter months, though of course it is open to inspection at any time.

Large sized stock in quantity can be delivered economically by auto as far as Boston to arrive in perfect condition.

All deliveries f. o. b. carefully put up; *packing at cost.*

JAMES H. BOWDITCH, Proprietor,

73 Tremont St., Room 903, Boston, Mass.

State of Connecticut

Office of
STATE ENTOMOLOGIST

NEW HAVEN
CONN.

No. 858.

Date—AUGUST 14, 1929.

CONNECTICUT AGRICULTURAL EXPERIMENT STATION NURSERY INSPECTION AND REGISTRATION

Certificate

This is to certify that Hiti Nurseries of Pomfret Center, Conn., has registered as a Nurseryman, that the nursery stock has been duly examined in compliance with the provisions of Chapter 265, of the Public Acts of 1925, and that it is apparently free from dangerously injurious insects and plant diseases.

This certificate expires August 1, 1930.

W. E. BRITTON,
State Entomologist.

INVITATION

The public is cordially invited to come to the Nursery at any time as a *visitor* merely, not a buyer.

We make this offer unhesitatingly because it is the best way of introducing ourselves and our plants.

In point of fact each new acquaintance affords us the best advertising medium for attracting the attention of others.

EVERGREENS.

		Each
20	<i>Abies concolor</i> , 3 to 4 ft.....	\$7.00
24	“ “ 18 to 24 in.....	3.00
25	“ <i>balsamea macrocarpa</i> , 2 to 3 ft.....	3.00
25	“ <i>Fraseri</i> , 4 to 4½ ft.....	5.00
7	“ “ 2 to 3 ft.....	4.00
5	“ <i>Veitchii</i> , 4 to 5 ft.....	8.00
275	<i>Buxus St. John</i> , 8 to 10 in.....	.50
80	“ “ “ 6 in.....	.30
10	<i>Chamaecyparis filifera aurea</i> , 2 ft.....	5.00
18	“ “ “ 12 to 15 in..	2.50
12	“ <i>obtusa nana</i> , 18 to 24 in...	3.00
20	“ <i>pisifera</i> , 2 to 3 ft.....	2.00
20	“ <i>plumosa aurea</i> , 12 to 15 in.	1.50
5	“ <i>squarrosa Veitchii</i> , 18 to 24 in.	2.00
10	“ “ “ 15 in..	1.50
15	“ <i>Crippsi aurea</i> , 15 to 18 in.	5.00
10	“ “ “ 8 to 12 in...	3.00
100	<i>Euonymus radicans</i> , 18 to 24 in.....	1.00
200	“ “ small leaf, 10 to 12 in.	1.00
150	“ “ <i>acutus</i> , 18 to 24 in...	.75
100	“ “ <i>Carrieri</i> , 2 to 2½ ft..	3.50
65	“ “ “ 18 to 24 in..	2.50
200	“ “ “ K., 10 to 12 in.	1.25
140	“ “ “ O.T., 10 to 12 in.	1.00
60	“ “ “ <i>Hiti</i> , 18 to 24 in.	2.50
125	“ “ “ “ 15 to 18 in.	2.00
150	“ “ “ “ 10 to 12 in.	1.50
125	“ “ <i>latifolia</i> , 18 to 24 in..	2.50
35	“ “ “ 12 to 15 in..	1.50

		Each
70	<i>Euonymus radicans minimus</i> , 12 to 18 in.	\$2.00
240	" " " 12 in.	1.25
100	" " " 4 in., (6 to 8 in. spread)	.75
75	" " <i>variegata</i> , 18 in.	1.25
175	" " " 12 to 15 in.	1.00
150	" " <i>vegetus</i> , 18 to 24 in. .	2.00
100	" " " 12 to 15 in. .	1.00
50	" " " 8 in.60
90	<i>Juniperus Chinensis columnaris</i> , 4½ to 5 ft. 8.00 to 10.00	
20	" " " 12 to 18 in.	1.50
200	" " <i>procumbens</i> , 12 to 15 in.	1.50
12	" " " (blue), 12 to 15 in.	1.75
10	" <i>Dayi</i> , 5 to 5½ ft.	8.00
3	" " 4 to 4½ ft.	5.00
12	" " 18 to 24 in.	2.00
50	" " 18 in.	1.50
35	" <i>Hibernica</i> , 18 to 24 in.	2.00
35	" " 12 to 15 in.	1.25
40	" <i>squamata Meyeri</i> , 18 to 24 in. .	6.50
8	" <i>Suecica</i> , 18 to 24 in.	2.50
50	" " <i>nana</i> , 12 to 15 in.	1.75
40	" <i>Waukegan</i> , 15 to 18 in.	2.00
400	" <i>Pfitzeriana</i> , 18 to 24 in.	3.00
40	<i>Picea alba</i> , 4 to 5 ft.	4.00
40	" " 3 to 4 ft.	3.00
20	" " 18 to 24 in.	1.50
35	" <i>excelsa</i> , 3 to 4 ft.	3.00
20	" " 2½ to 3 ft.	2.50
9	" <i>glauca conica</i> , 2 to 2½ ft.	5.00
30	" " " 8 to 12 in.	1.75
100	" <i>pungens aurea</i> , 2½ to 3 ft.	6.00

A seedling from this Nursery.

Golden Evergreens usually show this color most distinctly in spring and early summer, on the new growth.

This Spruce, on the contrary, is at its best during cold autumn and winter weather, and is therefore unique in its field of light yellow color.

		Each
20	<i>Picea pungens</i> Bakeri, 3 to 3½ ft.....	\$25.00
15	“ “ “ 2 to 2½ ft.....	20.00
100	“ “ “ 12 to 15 in.....	10.00

We believe this to be the best *blue type* on the market today among the entire evergreen group. A product of this Nursery. Carefully grown from *cuttings only*, so as to insure the best results.

Stocky, well-furnished specimens.

Plant on an open sunny lawn where it will have full chance for development.

Always keep it in *open soil* extending at least one foot outside the spread of the lower branches. This insures protection of these latter against injury from the lawn mower, besides giving a better base or setting for the tree itself.

		Each
6	<i>Picea</i> Wilsoni, 3 ft.....	\$3.00
40	<i>Pinus</i> Austriaca, 2 to 3 ft.....	3.00
10	“ “ 18 to 24 in.....	2.00
5	“ Jeffreyi, 3½ to 4 ft.....	5.00
15	“ mughus, 12 to 15 in.....	2.00
2	“ ponderosa, 4 to 5 ft.....	5.00
2	“ “ 2 to 3 ft.....	3.00
16	“ resinosa, 4 ft.....	3.00
30	“ sylvestris, 4 to 6 ft.....	2.50
60	“ strobus, 3 to 4 ft.....	2.50
50	<i>Pseudotsuga</i> taxifolia, 4 to 5 ft.....	5.00
125	“ “ 3 to 4 ft.....	3.50
15	“ “ 2 to 3 ft.....	2.50
30	<i>Taxus baccata elegantissima aurea</i> , 2½ to 3 ft.	8.00
10	“ “ “ var., 18 to 24 in.	4.00
40	“ “ “ “ 12 to 15 in.	2.00
30	“ “ fastigiata var., 2½ to 3 ft...	7.00
13	“ “ “ “ 2 to 2½ ft...	4.00
15	“ “ Hibernica var., 18 to 24 in...	5.00
180	“ repandens, 18 to 24 in.....	3.00
900	“ “ 12 to 15 in.....	2.25
50	“ “ 8 to 12 in.....	1.00
20	“ Washingtoni, 10 to 12 in.....	1.50

			Each
10	<i>Taxus canadensis</i> ,	18 to 24 in.....	\$2.00
50	"	" 12 to 15 in.....	1.50
75	"	" 10 to 12 in.....	1.00
10	"	<i>cuspidata</i> Hiti, 3 to 3½ ft.....	15.00
10	"	" 2½ to 3 ft.....	10.00
15	"	" 2 to 2½ ft.....	8.00
300	"	" 18 to 24 in.....	5.00
25	"	" — Upright type — 2 to 2½ ft.	10.00
100	"	" <i>nana</i> , 2 to 2½ ft.....	8.00
450	"	" " 18 to 24 in.....	4.00
125	"	" " 15 to 18 in.....	3.50
100	"	" " 10 to 12 in.....	2.00
150	"	" " 8 to 12 in.....	1.50
15	"	" type, 3½ to 4 ft...	10.00
5	"	" " 3 to 3½ ft...	8.00
40	"	" " 2½ to 3 ft...	5.00
75	"	" " 2 to 2½ ft...	3.00
300	"	" " 18 to 24 in...	2.50
6	"	" <i>capitata</i> , 2 ft.....	5.00
6	"	" " 18 to 24 in.	3.50
100	"	" <i>compacta</i> , 8 to 12 in.	3.00
15	"	<i>Sieboldii</i> , 2 to 2½ ft.....	5.00
75	"	" 18 to 24 in.....	4.00

The Japanese Yews (*T. cuspidata*) are of exceptional hardiness, good coloring, and generally speaking, by far the most satisfactory of the entire Yew family; and we therefore confidently recommend their broad use for many purposes.

The handsomest forms have been carefully selected and stock of these grown from outdoor cuttings so that the result is sure and exact. We urge prospective customers, or simple visitors, to inspect these young plants and see for themselves their intrinsic beauties. If, however, distance or inconvenience interfere with personal selection, we will gladly make this choice for you if a general statement of planting conditions are given us as a guide to a wise furnishing of what is really needed.

Many old customers living at a distance request us to forward to them from time to time any new or desirable things that we have come across in our Landscape work.

		Each
5	<i>Thuja Columbia</i> , 4 to 5 ft.....	\$5.00
2	" " 2 to 2½ ft.....	2.50

		Each
30	Thuja Columbia, 18 to 24 in.....	\$2.00
25	" occidentalis Little Gem, 2 to 2½ ft.	3.00
25	" " " " 12 to 18 in.	2.00
50	" " " " 10 to 12 in.	1.50
35	" " pyramidalis, 3 ft.....	5.00
40	" " Rosenthali, 2 ft.....	3.00
100	" " " " 8 to 10 in..	1.00
50	Tsuga canadensis compacta, 2 ft.....	3.50
25	" " " " 12 to 18 in...	2.50
75	" Carolinianum, 10 to 12 in.....	1.50
500	Yucca filamentosa.....	.15

We have a considerable number of large size Specimen Evergreens, mostly Yews, that it is almost impossible to catalog, so as to afford an adequate description.

These are priced to the visitor on examination at the Nursery, and we find them very useful for adding a last touch of beauty to any landscape finish.

Also a good sized assortment of new varieties that are of smaller size that we shall be glad to show, and thus introduce them to your notice in advance, for later adoption.

It will be well worth your while to see these.

DECIDUOUS TREES.

		Each
25	<i>Carya alba</i> , 4 to 6 ft.....	\$4.00
7	<i>Catalpa Bungei</i> , 7 ft.....	5.00
4	<i>Crataegus cordata</i> , 6 to 8 ft.....	4.00
2	<i>Ginkgo biloba</i> , 18 ft. (specimens).....	25.00
5	<i>Malus floribunda atrosanguineum</i> , 7 ft....	3.00
5	<i>Prunus Pissardi</i> , 6 to 7 ft.....	2.50
70	<i>Salix Babylonica ramulis aureis</i> , 5 to 6 ft.	1.00
10	<i>Sorbus Americana</i> , 7 to 10 to 12 ft.....	3.00 to 5.00
12	<i>Ulmus Moline</i> , 8 to 10 ft.....	5.00
8	“ “ 6 to 8 ft.....	3.00

SHRUBS AND VINES.

		Each
50	<i>Akebia quinata</i>	\$.50
10	<i>Ampelopsis muralis</i>50
4	<i>Aronia arbutifolia</i> , 4 to 5 ft.....	1.50
25	<i>Berberis Thunbergii</i> Red Leaf, 3 to 3½ ft.	2.50
8	“ “ 18 to 24 in.....	1.50
10	<i>Clematis paniculata</i>50
50	<i>Cornus alba sanguinea</i> , 3 to 4 ft.....	.50
40	“ <i>stolonifera lutea</i> , 3 to 4 ft.....	.50
10	<i>Cotoneaster soongarica racemosa</i> ,	
	18 to 24 in.	1.00
75	“ <i>Wilsoni</i> , 2 ft. (Cut back)....	1.00
180	“ “ 18 to 24 in.....	1.00
500	“ “ 6 to 12 in.....	.40
100	<i>Cydonia Japonica</i> , 2 to 2½ ft.....	.75
20	“ “ <i>pygmaea</i> , 18 to 24 in....	.50
20	<i>Deutzia Pride of Rochester</i> , 3 to 4 ft....	.50
7	<i>Euonymus alatus</i> , 2½ to 3 ft.....	1.50
10	“ <i>latifolia planipes</i> , 2 to 2½ ft...	1.00
200	<i>Forsythia</i> in variety, large size stock,	
	4 to 8 ft.	.50
40	<i>Hydrangea paniculata grandiflora</i> , 3 ft....	.75
9	<i>Ilex glabra</i> , 2 to 3 ft.....	2.50
50	<i>Kerria Japonica</i> , 4 ft.....	.50
50	<i>Ligustrum amurense</i> , 2 to 2½ ft.....	.40
40	“ <i>Ibodium</i> , 2 ft.....	.40
25	<i>Rosa Bardou Job</i>	1.00
10	“ <i>York & Lancaster</i>	2.00

		Each
30	<i>Spiraea</i> Anthony Waterer, 18 in.....	\$.50
30	“ <i>callosa alba</i> , 18 in.....	.50
25	“ <i>prunifolia</i> , 3 to 3½ ft.....	.50
40	“ <i>Van Houtii</i> , 3 to 4 ft.....	.50
75	“ “ “ 2½ to 3 ft.....	.40
75	<i>Symphoricarpus vulgaris</i> , 3 to 4 ft.....	.50
40	<i>Symplocos paniculata</i> , 2 to 3 ft.....	1.00
100	“ “ 3 ft. (Seedlings) ..	.50
100	“ “ 18 in. “ ..	.40
15	<i>Syringa vulgaris</i> , 3 to 4 ft.....	1.50
10	“ “ 2½ ft.....	1.00
15	“ “ <i>alba</i> , 2½ to 3 ft.....	1.50
40	“ “ <i>Charles X</i> , 4 to 4½ ft..	2.50
100	“ “ <i>rubra de Marley</i> , 3 to 4 ft.	1.50
14	“ “ <i>Marie Legraye</i> , 2½ to 3 ft.	1.50
25	“ “ <i>Saugeana</i> , 4 to 5 ft.....	2.00
20	“ “ <i>Madame Florent Stepman</i> , 3 to 4 ft.	2.00
10	“ <i>amurense</i> , 6 to 7 ft.....	2.00
15	“ <i>villosa</i> , 4 to 4½ ft.....	2.00
12	“ “ 6 ft.....	2.50
15	“ <i>Volcan</i> , 2 to 2½ ft.....	2.00
10	<i>Viburnum Americanum</i> , 5 to 6 to 7 ft....	2.00
10	“ “ 4 to 5 ft.....	1.50
35	“ “ 2½ to 3 ft.....	1.00
35	“ <i>dilatatum</i> , 4 to 4½ ft.....	3.00
10	“ “ 3 to 3½ ft.....	2.50
25	“ “ 2½ to 3 ft.....	2.00
85	“ “ 2 ft.....	1.50
75	“ “ 18 in.....	1.00
10	“ <i>plicatum</i> , 3 to 3½ ft.....	2.00
18	“ <i>tomentosum</i> , 5 to 6 ft.....	3.00
9	“ “ 4 ft.....	2.50
500	<i>Xanthorhiza apiifolia</i> ..	.15

HARDY HERBACEOUS FLOWERS.

		Each
100	<i>Achillea</i> Snowball.....	\$.15
50	“ <i>langulata</i> buglossia.....	.15
50	“ <i>Cerise</i> Queen.....	.15
200	<i>Acorus calamus</i> variegata.....	.15
100	<i>Aquilega</i> hybrida.....	.25
50	<i>Armeria</i> lauchearia.....	.25
100	<i>Artemisia</i> pontica.....	.10
15	<i>Aster</i> Climax.....	.25
25	“ <i>laevis</i>20
50	“ <i>St. Egwin</i>20
25	“ <i>Novae Angliae</i>10
25	“ “ “ <i>var. rosea</i>15
50	“ <i>Tataricus</i>25
50	“ <i>White</i> Queen.....	.10
50	“ <i>Top Sawyer</i>15
25	<i>Boltonia</i> asteroides (early).....	.15
25	“ “ (late).....	.15
50	“ <i>latisquamae</i>15
25	<i>Campanula</i> carpatica.....	.25
25	“ <i>pyramidalis</i> alba.....	.20
25	“ <i>lactiflora</i>20
50	<i>Centaurea</i> candidissima.....	.15
25	<i>Chrysanthemum</i> Snowclad.....	.25
25	“ <i>petite Louise</i>25
50	“ <i>Bessie Brown</i>25
25	“ <i>Glory of Wayside</i>25
25	“ <i>Red — late —</i>25
25	“ <i>Pink</i>25
25	“ <i>Yellow</i>25
100	“ <i>Sibiricum</i>25

		Each
10	<i>Clematis coerulea erecta</i>	\$.30
300	<i>Convallaria majalis</i>05
200	<i>Coreopteris tripteris</i>15
50	“ <i>lanceolata</i>15
150	“ <i>trichosperma</i> — Seeds itself — Annual, but seeds itself.	.15
50	<i>Coronilla varia</i>15
150	<i>Delphinium formosum</i>25
50	<i>Eryngium azureum</i>25
25	<i>Eupatorium coelestinum</i>30
40	<i>Euphorbia polychroma</i>50
10	<i>Gaillardia grandiflora</i>20
50	<i>Harpalum rigidum</i>12
50	<i>Helenium autumnale</i>15
100	“ <i>Riverton Gem</i>15
100	“ <i>superbum rubrum</i>15
100	<i>Helianthus Maximiliani</i> var.....	.12
100	“ <i>mollis</i>15
100	“ <i>Miss Mellish</i>12
100	“ <i>orgyalis</i>20
100	“ “ — seedlings —.....	.10
100	“ <i>Gross serratus</i>12
50	<i>Hemerocallis Dumortieri</i>15
100	“ <i>flava</i>15
50	“ <i>fulva</i>15
50	“ <i>Kwanso fl. pl.</i>15
200	“ <i>Middendoriana</i>15
200	“ <i>Thunbergii</i>15
100	<i>Hosta lancifolia</i>15
100	“ <i>ovata</i>20
200	“ <i>Sieboldii</i>15
100	“ <i>variegata</i>20
100	<i>Iris cristata</i>12
50	“ <i>Germanica Madame Chereau</i>15
100	“ “ <i>Caprice</i>20
50	“ “ <i>Delila</i>15

			Each
100	Iris Germanica	Edith.....	\$.15
200	"	Crimson & Brown.....	.15
100	"	Hector.....	.20
75	"	Kharput.....	.20
100	"	honorabilis.....	.20
25	"	Jordain.....	.15
100	"	Light Blue.....	.15
25	"	N'd'Orage.....	.15
25	"	Pink.....	.15
25	"	aurea.....	.20
10	"	Sappho.....	.15
50	"	White — purple streak —.	.15
200	"	Pallida Dalmatica.....	.15
25	"	alba.....	.15
25	"	lutea.....	.15
75	"	Mrs. Darwin.....	.15
50	"	Gracchus.....	.15
200	"	Princess Victoria Louise...	.15
100	"	Her Majesty.....	.15
150	"	Maori King.....	.20
100	"	Mrs. Gay.....	.15
75	"	Rhein Nixe.....	.35
40	"	Zua.....	.40
30	"	Seminole.....	.40
50	"	Rialgar.....	.40
150	" Koempferi	S. Diabutz.....	.20
175	"	S. Alcock.....	.20
50	"	S. Pink, White Vein.....	.20
150	"	D. Dark Maroon.....	.25
15	"	D. Lavender and White...	.25
125	"	D. Mrs. Buchanan.....	.25
85	"	D. White, Blue Vein.....	.25
175	"	D. Julia S.....	.20
50	"	D. Navy Blue.....	.20
50	" pumila	excelsa.....	.15
50	"	The Bride.....	.15

		Each
100	<i>Iris pumila purpurea</i>	\$.15
100	“ <i>ochroleuca</i>15
100	“ <i>orientalis</i>15
100	“ <i>Sibirica</i>15
100	“ “ <i>alba</i>15
100	“ “ <i>Snow Queen</i>20
200	<i>Liatris dubia</i>20
25	“ <i>elegans</i>20
50	“ <i>pumila</i>20
50	“ <i>pyncnostachya</i>20
50	<i>Lilium superbum</i>20
40	<i>Paeonia</i> Karl Rosenfield.....	2.00
25	“ <i>Baroness Schroeder</i>60
40	“ <i>Duchess de Nemour</i>60
10	“ <i>Victor Hugo</i>60
50	“ <i>Marguerite Gerard</i>60
50	“ <i>festiva maxima</i>60
20	“ <i>Delachii</i>60
50	“ <i>Norfolk</i>	1.00
50	“ <i>No. 31. Single Dark</i>50
50	“ <i>Canary</i>60
50	“ <i>Edward VII</i>60
50	“ <i>Charles Levecque</i>	1.50
25	“ <i>Solfaterre</i>	1.00
10	“ <i>Marie Lemoine</i>60
30	“ <i>Single White</i>60
50	“ <i>Dragon</i>60
20	“ <i>Dr. Manning</i>60
100	<i>Phragmites communis</i>50
50	<i>Papaver orientale</i>30
100	<i>Phlox decussata Brunette</i>25
25	“ <i>Eclairaux</i>25
50	“ <i>Saisons Lierval</i>25
100	“ <i>Von Lassburg</i>25
50	“ <i>La Feu de Monde</i>25
50	“ <i>Antonin Mercier</i>25

		Each
100	Phlox Seedling No. 1.....	\$.25
15	“ Stella’s Choice.....	.25
50	“ La Soleil.....	.25
25	“ Pantheon.....	.25
25	“ Madame Meuret.....	.25
25	“ R. B. Struthers.....	.30
50	“ subulata lilacina.....	.15
100	“ “ Vivid.....	.20
10	Platycodon Mariesii.....	.25
50	Pyrethrum uliginosum.....	.15
50	Rudbeckia Golden Glow.....	.15
25	“ nitida Autumn Glory.....	.15
50	“ purpurea.....	.15
25	“ subtomentosa.....	.15
75	Saxifraga cordifolia.....	.20
50	“ crassifolia.....	.20
100	“ grandiflora.....	.20
50	Sedum acre.....	.20
50	“ spectabile.....	.25
50	“ “ atropurpureum.....	.25
200	“ pulcarum.....	.20
40	“ pallidum.....	.20
300	“ sexangulare.....	.15
25	“ speciosum.....	.15
50	“ Telephium purpureum.....	.25
50	“ Maximowiczii.....	.20
50	“ Kamtschaticum.....	.15
10	“ reflexum.....	.20
30	“ rupestris minor.....	.20
50	“ umbellatum.....	.20
75	“ cruentum.....	.20
100	“ sarmentosum.....	.15
100	“ spurium splendens.....	.15
50	“ Brownii.....	.15
300	Sempervivum arachnoideum.....	.02
200	“ acuminatum.....	.02

		Each
500	<i>Sempervivum arenarium</i>	\$.02
500	“ <i>cornutum</i>02
500	“ <i>fimbriatum</i>02
200	“ <i>Mittenianum</i>04
500	“ <i>soboliferum</i>02
300	“ <i>Violaceum</i>04
50	<i>Silphium perfoliatum</i>25
50	<i>Solidago Johnsoni</i>15
100	<i>Spiraea astilboides alba</i>20
75	“ “ <i>fl. pl. pink</i>25
50	“ <i>Humboldti</i>15
50	<i>Tanacetum vulgare</i> var. <i>crispum</i>15
20	<i>Teucrium chamaedrys</i>25
25	<i>Tiarella purpurea major</i>15
25	<i>Veronica candida</i>15
50	“ <i>pumila</i>25
50	“ <i>rupestris</i>20

Always plan to have your garden *at its best*, when you are most likely to be there to enjoy it.

TREATMENT

Plans for large areas or places are designed and carried out by a landscape engineer of recognized ability, so that no customer need feel that his particular want cannot be wisely and economically treated.

Sometimes a simple visit of inspection will afford sufficient data for a customer to attend to the affair himself, and the mere removal of overgrown or unsightly trees and shrubbery on an old place will work wonders in rehabilitation. By all means consider this phase of the situation carefully, as we always wish to bring out or advise the best and wisest course under varying circumstances.

RECOMMENDATION

Some customers would like a little advice or suggestion as to what plants to use or order from the Nursery, and we wish to provide for this.

For example—there are quite a number of varieties, especially among the evergreen group, that are new and desirable for small places or gardens and if the selection is left largely in our hands we are confident the result will be much more satisfactory. Evergreens of small size should be used in all instances where immediate effects are not imperative.

Again in orders out of the State the red tape of inspection and even entire prohibition often makes for provoking delay and even cancellation, so that we have to be careful even of our promises, as changes in these laws and regulations occur every season and have to be recognized accordingly.

We particularly aim at a hardy selection of pleasing variety.

CONCLUSION

Our customers today include house architects, landscape designers, or consultants and nurserymen.

Many women are taking up this outdoor garden work professionally, or otherwise, and their advent makes a distinct and valuable addition to opportunities presented to the general public for careful consideration, as women seem to have an especially keen sense of beauty in arrangement of Garden Flowers.



LANDSCAPE GARDENING

Large or small country places are carefully treated with reference to outdoor improvement.

Gardens of all kinds made to fit any condition offered.

Combination fruit and flower designs are often very useful and effective, where space is more or less limited and good cultivation easily maintained.

JAMES H. BOWDITCH.

